ELSEVIER

International Journal of Mass Spectrometry 181 (1998) 201

Author index

Amelynck, C., 99, 113
Arijs, E., 99, 113
Arnold, F., 31

Bai, J., 43
Barassin, A., 99
Belshaw, N.S., 51
Birkinshaw, K., 159
Blaum, K., 67
Bushaw, B.A., 67

Catoire, V., 99
Chen, Q.F., 181
Chung, Y., 59

Dodonov, A., 27
Durakiewicz, T., 167

Fink, H.P., 99
Frank, M., 51
Freedman, P.A., 51
Fuhrer, K., 27

Geppert, Ch., 67
Goodings, J.M., 181
Guimbaud, C., 99
Guo, Y., 51

Hahn, J.R., 59
Halas, S., 167
Halliday, A.N., 123
Han, S.-J., 59
Higuchi, T., 89
Hoshino, M., 89
Hua, X., 43
Hwang, C.H., 59

Igarashi, M., 151

Jenzer, U., 99

Kang, H., 59
Kopp, E., 99
Koslovsky, V., 27

Labonnette, D., 99
Lavendy, H., 11, 135
Li, H., 43
Lu, R., 43
Luithardt, W., 99

Müller, P., 67

Neefs, E., 99
Nevejans, D., 99
Nörtershäuser, W., 67

O'Nions, R.K., 51
Otten, E.W., 67

Pascoli, G., 11, 135

Raznikov, V., 27
Rehkämper, M., 123
Reiner, T., 31
Rocher, J., 173

Schmitt, A., 67
Schoon, N., 99, 113
Sekiguchi, O., 89
Smith, D., 1
Španěl, P., 1

Tachikawa, H., 151
Tajima, S., 89
Takahashi, Y., 89
Takayama, M., L1
Tolmachev, A., 27
Trautmann, N., 67
Tsugita, A., L1

Van Bavel, A.-M., 99, 113
Vedel, F., 173
Vedel, M., 173
Viidanoja, J., 31

Wang, L., 43
Wendt, K., 67
Wollnik, H., 27
Woo, D.H., 59

Yang, M.C., 59

ELSEVIER

International Journal of Mass Spectrometry 181 (1998) 203–206

International Journal of Mass Spectrometry

Subject index

Ab initio molecular orbital (MO) calculation
Ab initio molecular orbital study on the gas phase S_N2 reaction $F^- + CH_3Cl \rightarrow CH_3F + Cl^-$, 151
Acetic acid
Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31
Aeronomy
Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99
Array
Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159

Carbon
Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11
Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1-23$), 135
Charge transfer
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
Chemical ionisation
Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
Chemical ionization mass spectrometry (CIMS)
Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99
Clusters
Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11
Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1-23$), 135
Collisional cooling
Cooling of direct current beams of low mass ions, 27
Computer simulation
Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67

Density functional theory
Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11
Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1-23$), 135
Detector
Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159
Direct ab initio dynamics
Ab initio molecular orbital study on the gas phase S_N2 reaction $F^- + CH_3Cl \rightarrow CH_3F + Cl^-$, 151
D-labeling
Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89

Electron impact (EI)
Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89
Elemental ions
Cooling of direct current beams of low mass ions, 27
Energy distribution
Ab initio molecular orbital study on the gas phase S_N2 reaction $F^- + CH_3Cl \rightarrow CH_3F + Cl^-$, 151
Ethyl lactate
Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89

Ferrocene
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59
Filament temperature
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
Flame ionization
The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181

Flames
The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181
Flowing afterglow
Gas phase reactions of HNO_3 with Cl^-, Cl^-H_2O, and Cl^-HCl, of Cl_2 with Cl^-H_2O and Cl^-HCl, and of HCl with Cl^-H_2O, 113
Formic acid
Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31

High Rydberg states
Application of laser induced photoemission electron in time-of-flight mass spectrometry, 43
Hydride ion transfer
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
Hydrocarbons
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1

Inductively coupled plasma mass spectrometry
Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123
In-source decay
Does in-source decay occur independent of the ionization process in matrix-assisted laser desorption?, L1
Interstellar medium
Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1 - 23$), 135
Ion-molecule reactions
Gas phase reactions of HNO_3 with Cl^-, Cl^-H_2O, and Cl^-HCl, of Cl_2 with Cl^-H_2O and Cl^-HCl, and of HCl with Cl^-H_2O, 113
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
Ion source
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
Ion trajectories
Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67
Isotope ratiomeasurement
Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123
Isotopes
A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51
Isotopic abundance sensitivity
Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67

Kinetic energy measurements
Well defined chopping of the Paul trap rf potential up to a 1.5 MHz frequency combined with a time-of-flight method, 173

Lead
A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51

Mass discrimination
Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123
Mass spectrometer
A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51
Mass spectrometry
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181
Matrix assisted laser desorption/ionization (MALDI)
Does in-source decay occur independent of the ionization process in matrix-assisted laser desorption?, L1
Metallic compounds
The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181
Metastable
Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89
MIKES
Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89
Multicharged ions

Application of laser induced photoemission electron in time-of-flight mass spectrometry, 43
Multiple collector
Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123
A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51

Nitric acid
Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99

Paul trap
Well defined chopping of the Paul trap rf potential up to a 1.5 MHz frequency combined with a time-of-flight method, 173
Pb isotopes
Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123
Peptides
Does in-source decay occur independent of the ionization process in matrix-assisted laser desorption?, L1
Performance
Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159
Photodissociation
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59
Photoemission electron
Application of laser induced photoemission electron in time-of-flight mass spectrometry, 43
Photoionization
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59
Plasma
A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51
Proton affinity
The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181
Proton transfer
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1

Quadrupole mass spectrometer
Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67

Rate constant measurements
Gas phase reactions of HNO_3 with Cl^-, Cl^-H_2O, and Cl^-HCl, of Cl_2 with Cl^-H_2O and Cl^-HCl, and of HCl with Cl^-H_2O, 113
Resonance ionization mass spectrometry
Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67
rf quadrupole
Cooling of direct current beams of low mass ions, 27

Selected ion flow tube
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
S_N2 reaction
Ab initio molecular orbital study on the gas phase S_N2 reaction $F^- + CH_3Cl \rightarrow CH_3F + Cl^-$, 151
Stratosphere
Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99
Sulphur carbide
Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11
Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1 - 23$), 135
Surface ionization
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
Synchrotron radiation
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59

Temperature stabilization
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
Thermal ionization
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
Time-of-flight (TOF) methods
Well defined chopping of the Paul trap rf potential up to a 1.5 MHz frequency combined with a time-of-flight method, 173
Trace gas analysis

Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
Tropospheric chemistry
Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31
Uniformity
Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159
Vacuum ultraviolet
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59